



CEILING PROJECTOR MOUNT  
AND EXTENSION

**Avtek EasyMount**  
**Avtek EasyMount Extension**




**Avtek**

Inspire | Engage | Lead

Possibility to mount directly on either 12 cm or between 43-65 cm from the ceiling. Optional you can use the extension recommended for EasyMount. Cables without a connector can be pulled through, so it is easier to hide them inside the mount. EasyMount is perfect for installation in typical offices or classrooms.

MODEL	AVTEK EASYMOUNT (1MVEM2)	
Type	Ceiling	
Maximum load	10 kg	
Rotate	No	
Tilt	On the projector axis + /- 15°, sideways +/- 22.5°	
Possibility to hide cables	Yes	
Fixing distance	43 – 65 cm	
Maximum spacing between assembly holes	32 cm	
Weight	1.3 kg	
Color	White	
Material	Steel	
Warranty	2 years	

Mounting plate dimensions



Telescopic Extension for Avtek EasyMount . Combined with EasyMount the mounting length can be regulated from 71 cm to 122 cm or even 102 cm to 175 cm when all the elements are used.

It is possible to connect more extensions to increase the length from the ceiling.

MODEL	AVTEK EASYMOUNT EXTENSION (1MVEM3)	
Type	Ceiling	
Maximum load	10 kg	
Length	59 – 110 cm	
Possibility to hide cables	Yes	
Weight	1.04 kg	
Color	White	
Material	Steel	

